

PLATE LOADED MACHINES



SALTER
The ESSENCE of fitness



M-1518 Shoulder press

TECHNICAL SPECIFICATIONS:

- 3mm rectangular steel chassis.
- 200^o polyester powder paint.
- Antibacterial upholstery Norms MRSA, SANITIZED, fire retardant Norm M2, UNE 1021 and absence of solvents and harmful substances Norms OEKO-TEX.
- Seams in deep blue.
- Anatomical seat.
- Height-adjustable anatomical leg rest.
- Help lever to facilitate the start of the exercise with automatic release.
- The movement multiplies the load x 2 due to the type of lever used.
- Support for discs.
- Disc diameter: 30/50 mm.
- Discs not included.
- Adjustable levellers in the base.
- Lever arm weight: 10 kg.
- Descriptive pictogram of the exercise.
- QR code with access to machine use video.
- Maximum user weight: 180 kg.
- Dimensions: 147x128x82 cm.
- Commercial use.

REF.	Ø DISCS
M-1518	30 mm
M-1518/50	50 mm





M-1526 Leg extension

TECHNICAL SPECIFICATIONS:

- 3mm rectangular steel chassis.
- 200^o polyester powder paint.
- Antibacterial upholstery Norms MRSA, SANITIZED, fire retardant Norm M2, UNE 1021 and absence of solvents and harmful substances Norms OEKO-TEX.
- Seams in deep blue.
- Anatomical seat.
- Anatomically adjustable backrest.
- Grips injected in non-porous and non-slip rubber material.
- Support for discs.
- Disc diameter: 30/50 mm.
- Discs not included.
- Adjustable levellers in the base.
- Lever arm weight: 20 kg.
- Descriptive pictogram of the exercise.
- QR code with access to machine use video.
- Maximum user weight: 180 kg.
- Dimensions: 104x122x130 cm.
- Commercial use.

REF.	Ø DISCS
M-1526	30 mm
M-1526/50	50 mm





M-1527

Leg curl

TECHNICAL SPECIFICATIONS:

- 3mm rectangular steel chassis.
- 200^o polyester powder paint.
- Antibacterial upholstery Norms MRSA, SANITIZED, fire retardant Norm M2, UNE 1021 and absence of solvents and harmful substances Norms OEKO-TEX.
- Seams in deep blue.
- Anatomical support backrest.
- Anatomical armrest.
- Grips injected in non-porous and non-slip rubber material.
- Support for discs.
- Disc diameter: 30/50 mm.
- Discs not included.
- Adjustable levellers in the base.
- Lever arm weight: 20 kg.
- Descriptive pictogram of the exercise.
- QR code with access to machine use video.
- Maximum user weight: 180 kg.
- Dimensions: 107x152x69 cm.
- Commercial use.

REF.	Ø DISCS
M-1527	30 mm
M-1527/50	50 mm





M-1540 Chest press

TECHNICAL SPECIFICATIONS:

- 3mm rectangular steel chassis.
- 200^o polyester powder paint.
- Antibacterial upholstery Norms MRSA, SANITIZED, fire retardant Norm M2, UNE 1021 and absence of solvents and harmful substances Norms OEKO-TEX.
- Seams in deep blue.
- Convergent and independent movement.
- Non-slip graphite grips for added security.
- Anatomically adjustable height seat by gas piston.
- Support for discs.
- Disc diameter: 30/50 mm.
- Discs not included.
- Adjustable levellers in the base.
- Lever arm weight: 10 kg each.
- Descriptive pictogram of the exercise.
- QR code with access to machine use video.
- Maximum user weight: 180 kg.
- Dimensions: 128x196x172 cm.
- Commercial use.

REF.	Ø DISCS
M-1540	30 mm
M-1540/50	50 mm

www.salter.es

VIDEO



Due to constant innovation of our items, technical details of this item may slightly differ .



M-1541 Seated row

TECHNICAL SPECIFICATIONS:

- 3mm rectangular steel chassis.
- 200^o polyester powder paint.
- Antibacterial upholstery Norms MRSA, SANITIZED, fire retardant Norm M2, UNE 1021 and absence of solvents and harmful substances Norms OEKO-TEX.
- Seams in deep blue.
- Divergent and independent movement.
- Multislip handlebar, non-slip, for greater safety.
- Anatomically adjustable height seat by gas piston.
- Supports adjustable chest.
- Support for discs.
- Disc diameter: 30/50 mm.
- Discs not included.
- Adjustable levellers in the base.
- Lever arm weight: 6.5 kg each.
- Descriptive pictogram of the exercise.
- QR code with access to machine use video.
- Maximum user weight: 180 kg.
- Dimensions: 141x142x129 cm.
- Commercial use.

REF.	Ø DISCS
M-1541	30 mm
M-1541/50	50 mm





M-1543 Inclined chest press

TECHNICAL SPECIFICATIONS:

- 3 mm rectangular steel chassis.
- 200^o polyester powder paint.
- Antibacterial upholstery Norms MRSA, SANITIZED, fire retardant Norm M2, UNE 1021 and absence of solvents and harmful substances Norms OEKO-TEX.
- Seams in deep blue.
- Convergent and independent movement.
- Non-slip graphite grips for added security.
- Anatomically adjustable height seat by gas piston.
- Support for discs.
- Disc diameter: 30/50 mm.
- Discs not included.
- Adjustable levellers in the base.
- Lever arm weight: 10 kg each.
- Descriptive pictogram of the exercise.
- QR code with access to machine use video.
- Maximum user weight: 180 kg.
- Dimensions: 104x211x170 cm.
- Commercial use.

REF.	Ø DISCS
M-1543	30 mm
M-1543/50	50 mm





M-1576 Shoulder press

TECHNICAL SPECIFICATIONS:

- 3 mm rectangular steel chassis.
- 200^o polyester powder paint.
- Antibacterial upholstery Norms MRSA, SANITIZED, fire retardant Norm M2, UNE 1021 and absence of solvents and harmful substances Norms OEKO-TEX.
- Seams in deep blue.
- Convergent and independent movement.
- Non-slip graphite grips for added security.
- Anatomically adjustable height seat by gas piston.
- Support for discs.
- Disc diameter: 30/50 mm.
- Discs not included.
- Adjustable levellers in the base.
- Lever arm weight: 8 kg each.
- Descriptive pictogram of the exercise.
- QR code with access to machine use video.
- Maximum user weight: 180 kg.
- Dimensions: 133x160x138 cm.
- Commercial use.

REF.	Ø DISCS
M-1576	30 mm
M-1576/50	50 mm





M-1584 Pec fly

TECHNICAL SPECIFICATIONS:

- 3mm rectangular steel chassis.
- 200^o polyester powder paint.
- Antibacterial upholstery Norms MRSA, SANITIZED, fire retardant Norm M2, UNE 1021 and absence of solvents and harmful substances Norms OEKO-TEX.
- Seams in deep blue.
- Non-slip graphite grips for added security.
- Anatomically adjustable seat by gas piston.
- Support for discs.
- Disc diameter: 30/50 mm.
- Discs not included.
- Adjustable levellers in the base.
- Lever arm weight: 5 kg each.
- Descriptive pictogram of the exercise.
- QR code with access to machine use video.
- Maximum user weight: 180 kg.
- Dimensions: 159x174x106 cm.
- Commercial use

REF.	Ø DISCS
M-1584	30 mm
M-1584/50	50 mm






M-1591 Vertical dorsal

TECHNICAL SPECIFICATIONS:

- 3 mm rectangular steel chassis.
- 200^o polyester powder paint.
- Antibacterial upholstery Norms MRSA, SANITIZED, fire retardant Norm M2, UNE 1021 and absence of solvents and harmful substances Norms OEKO-TEX.
- Seams in deep blue.
- Divergent and independent movement.
- Anatomically adjustable height seat by gas piston.
- Non-slip graphite grips for added security.
- Support for discs.
- Disc diameter: 30/50 mm.
- Discs not included.
- Adjustable levellers in the base.
- Lever arm weight: 1 kg each.
- Descriptive pictogram of the exercise.
- QR code with access to machine use video.
- Maximum user weight: 180 kg.
- Dimensions: 175x118x195 cm.
- Commercial use.

REF.	Ø DISCS
M-1591	30 mm
M-1591/50	50 mm





M-1598 T-Bar row plate loaded

TECHNICAL SPECIFICATIONS:

- 3 mm reinforced steel chassis.
- 200^o polyester black powder paint.
- Antibacterial upholstery Norms MRSA, SANITIZED, fire retardant Norm M2, UNE 1021 and absence of solvents and harmful substances Norms OEKO-TEX.
- Seams in deep blue.
- Platform supports non-slip feet
- Supports chest adjustable by guide with ball skate that guarantees a smooth and silent movement.
- Tilting handlebar with grips injected in non-slip rubber.
- Support for discs.
- Disc diameter: 30/50 mm.
- Discs not included.
- Adjustable levellers in the base.
- Lever arm weight: 10 kg.
- Descriptive pictogram of the exercise.
- QR code with access to machine use video.
- Maximum user weight: 180 kg.
- Dimensions: 180x164x125 cm.
- Commercial use.

REF.	Ø DISCS
M-1598	30 mm
M-1598/50	50 mm





COMERCIAL SALTER, S.A.
Lluís Millet, 52
08950 Esplugues de Llobregat
BARCELONE (SPAIN)

International Department:
Ph. (+34) 93 470 00 55

internationalsales@salter.es
technicalsupport@salter.es

www.salter.es